PLASTIMAR

STAMPAGGIO MATERIE PLASTICHE

Cavour Street, 5

10070 Robassomero (TO)

Phone: 011/9254957

Web Site: www.plastimarsrl.it

E-mail: info@plastimarsrl.it

Water pump impellers catalog

We have many variants of impellers for water pumps. With a view to continuous improvement, in addition to what we can already offer our customers, we evaluate any requests for other impellers by being able to either adapt our equipment from time to time or possibly build new ones.

Diameter 45-55 mm



Item	External diameter	Bushing diameter	Number of fins
GR.1314	45,00	11,94 mm 11,98 mm	6
GR.059	47,90	11,98 mm	7
GR.273	48,00	11,98 mm	7
GR.226	49,00	11,94 mm 11,98 mm	7
GR.117	49,80	11,94 mm	6
GR.187	50,00	11,94 mm 11,98 mm	6
GR.197	50,00	11,94 mm	6
GR.202	51,20	15,94 mm	6
GR.170	52,00	12 mm 16 mm	3
GR.170/1	52,00	9 mm	3
GR.170/2	52,00	12,019 mm	3
GR.569/1	52,20	15,86 mm	6
GR.569	52,40	11,94 mm	6
GR.299	52,70	11,94 mm 11,98 mm 14,94 mm	9
GR.844	52,70	15,86 mm 15,94 mm	6
GR.022	53,00	15,86 mm	6
GR.107	53,00	11,93 mm 11,94 mm 12,175 mm 15,94 mm	6
GR.113	53,00	15,94 mm	6
GR.354	53,00	15,86 mm	6
GR.198	53,50	15,86 mm	6

Diameter 45-55 mm



Item	External diameter	Bushing diameter	Number of fins
GR.112	53,60	11,94 mm	6
GR.181	54,00	11,94 mm 11,98 mm	7
GR.259	54,00	11,98 mm	7
GR.066	54,20	11,98 mm 12,61 mm	9
GR.067	54,20	15,86 mm 15,94 mm	9
GR.606	54,30	11,94 mm 15,94 mm	6
GR.860	54,40	11,94 mm	7
GR.173	54,60	11,94 mm 11,98 mm	8
GR.535	54,90	15,86 mm 15,94 mm	12

Diameter 55-60 mm



Item	External diameter	Bushing diameter	Number of fins
GR.368	55,50	11,94 mm	7
GR.171	56,00	11,94 mm 11,98 mm	8
GR.216	56,00	14,94 mm 15,86 mm	6
GR.218	56,00	11,98 mm	7
GR.533	56,00	11,94 mm 11,98 mm	8
GR.135	56,20	11,94 mm 11,98 mm 12,73 mm 15,94 mm	6
GR.806	56,30	11,94 mm	8
GR.537	56,50	11,94 mm 15,94 mm	6
GR.592	56,60	11,94 mm	8
GR.260	57,00	12 mm 16 mm	3
GR.751	57,50	11,98 mm 15,86 mm 15,94 mm	7
GR.115	57,80	11,98 mm	6
GR.174	57,80	15,86 mm 15,94 mm	8
GR.461	57,80	11,94 mm 14,94 mm	8
GR.811	57,80	11,94 mm	7
GR.605	58,00	11,94 mm	7
GR.740	58,00	11,94 mm	6
GR.1063	58,00	11,94 mm	6
GR.312	58,10	15,86 mm	6
GR.9057	58,20	11,94 mm 11,98 mm	6

Diameter 55-60 mm



Item	External diameter	Bushing diameter	Number of fins
GR.177	58,30	11,94 mm 15,86 mm	6
GR.865	58,30	11,94 mm	7
GR.096	58,40	15,94 mm	6
GR.110	58,50	11,94 mm	8
GR.417	58,50	11,94 mm 12,73 mm	6
GR.875	58,50	15,94 mm	7
GR.347	58,70	15,86 mm	8
GR.027	59,00	11,94 mm 11,98 mm	6
GR.348	59,00	11,94 mm 11,995 mm	8
GR.532	59,00	11,94 mm 11,98 mm 12,61 mm	6
GR.1060	59,00	11,94 mm 11,98 mm 15,94 mm	7
GR.909	59,20	15,94 mm	6
GR.9041	59,20	15,86 mm	8
GR.123	59,30	11,98 mm 14,94 mm 15,94 mm	9
GR.418	59,30	11,94 mm 15,86 mm	8
GR.008	59,50	15,86 mm 15,94 mm	8
GR.120	59,50	15,86 mm 15,94 mm	8
GR.402	59,50	11,94 mm	6
GR.416	59,50	11,94 mm 14,94 mm 15,86 mm 15,94 mm	7
GR.264	59,70	11,94 mm	6

Diameter 55-60 mm




Item	External diameter	Bushing diameter	Number of fins
GR.364	59,70	11,98 mm	8
GR.515	59,70	11,94 mm 12,73 mm15,94 mm	6
GR.983	59,70	11,94 mm	6
GR.215	59,80	15,94 mm	6
GR.137	59,90	11,94 mm	6
GR.193	59,90	11,94 mm 11,98 mm 14,94 mm 15,86 mm	6

Diameter 60-65 mm



Item	External diameter	Bushing diameter	Number of fins
GR.007	60,00	14,94 mm 15,94 mm	7
GR.021	60,00	15,86 mm 15,94 mm	7
GR.025	60,00	15,94 mm	7
GR.026	60,00	14,94 mm 15,94 mm	7
GR.052	60,00	12,73 mm 15,86 mm 15,94 mm	6
GR.143	60,00	11,94 mm 11,98 mm	8
GR.164	60,00	11,94 mm 11,98 mm 15,86 mm	6
GR.199	60,00	11,98 mm	7
GR.206	60,00	11,98 mm	6
GR.234	60,00	11,94 mm 11,98 mm	8
GR.236	60,00	11,94 mm 15,86 mm	6
GR.261	60,00	11,94 mm	8
GR.340	60,00	15,86 mm	6
GR.502	60,00	12,73 mm 14,94 mm 15,86 mm 15,94 mm	6
GR.552	60,00	15,94 mm	8
GR.837	60,00	11,94 mm	6
GR.912	60,00	11,98 mm 11,94 mm 15,94 mm	8
GR.986	60,00	11,94 mm 11,98 mm 12,73 mm	8
GR.1062	60,00	11,94 mm	6
GR.1076	60,00	11,94 mm	6

Diameter 60-65 mm



Item	External diameter	Bushing diameter	Number of fins
GR.528	60,10	14,94 mm 15,94 mm	8
GR.781	60,20	11,94 mm 15,94 mm	7
GR.041	60,30	11,94 mm	6
GR.748	60,30	15,86 mm 15,94 mm	6
GR.163	60,40	11,94 mm 12,61 mm 14,94 mm	8
GR.065	60,50	15,86 mm	8
GR.172	60,50	11,94 mm 11,98 mm	8
GR.263	60,70	11,98 mm	8
GR.249	60,80	11,94 mm	5
GR.032	60,90	11,98 mm	6
GR.169	61,00	11,94 mm 11,98 mm	6
GR.188	61,00	15,86 mm	7
GR.247	61,00	11,94 mm 11,98 mm	7
GR.879	61,00	11,94 mm 15,86 mm 15,94 mm	7
GR.157	61,50	14,94 mm	8
GR.1001	61,50	11,94 mm	6
GR.9141	61,50	15,86 mm	6
GR.768	61,60	11,94 mm 15,86 mm	7
GR.033	62,00	11,98 mm	6
GR.038	62,00	11,98 mm	7

Diameter 60-65 mm



Item	External diameter	Bushing diameter	Number of fins
GR.044	62,00	11,98 mm	7
GR.045	62,00	14,94 mm	7
GR.124	62,00	11,94 mm 11,98 mm 14,94 mm 15,86 mm	6
GR.229	62,00	11,94 mm 11,98 mm	7
GR.239	62,00	11,94 mm 11,98 mm	9
GR.339/1	62,00	14,94 mm	7
GR.339/2	62,00	11,98 mm 11,99 mm	7
GR.355	62,00	11,94 mm	6
GR.436	62,00	11,94 mm	6
GR.465	62,00	15,94 mm	6
GR.812	62,00	11,94 mm	7
GR.9083	62,00	15,86 mm	6
GR.938	62,10	11,94 mm	7
GR.020	62,20	14,94 mm 15,86 mm 15,94 mm	9
GR.167	62,20	11,98 mm	7
GR.816	62,20	11,94 mm	7
GR.1070	62,20	11,94 mm	8
GR.409	62,30	11,94 mm	8
GR.339	62,40	14,94 mm	7
GR.034	62,50	11,98 mm	7

Diameter 60-65 mm




Item	External diameter	Bushing diameter	Number of fins
GR.017	62,60	14,94 mm 15,94 mm	7
GR.375	62,70	15,86 mm 15,94 mm	6
GR.985	62,70	11,94 mm 14,94 mm 15,94 mm	8
GR.015	63,00	15,94 mm	7
GR.077	63,00	11,94 mm	8
GR.099	63,00	11,94 mm	8
GR.269	63,00	11,94 mm 11,98 mm	8
GR.274	63,00	11,98 mm 15,86 mm 15,94 mm	8
GR.745	63,00	11,94 mm 15,94 mm	6
GR.410	63,10	11,98 mm 15,86 mm 15,94 mm	6
GR.148	63,20	15,94 mm	7
GR.628	63,20	11,94 mm	6
GR.204	63,50	15,94 mm	5
GR.9040	63,50	15,86 mm	6
GR.042	63,60	11,94 mm 11,98 mm	12
GR.540	63,60	15,86 mm 15,94 mm	6
GR.9025	63,60	11,98 mm	5
GR.180	63,70	11,98 mm	8
GR.118	64,00	15,94 mm	5
GR.122	64,00	11,94 mm 11,98 mm 15,86 mm 15,94 mm	7

Diameter 60-65 mm



Item	External diameter	Bushing diameter	Number of fins
GR.184	64,00	11,94 mm 11,98 mm 12 mm	8
GR.268	64,00	11,98 mm	7
GR.149	64,20	15,94 mm	6
GR.910	64,20	11,94 mm	6
GR.208	64,40	14,94 mm 15,86 mm 15,94 mm	8
GR.101.664	64,40	14,94 mm 15,86 mm	8
GR.064	64,50	14,94 mm	8
GR.953	64,50	11,94 mm 15,94 mm	8
GR.9074	64,50	15,86 mm 15,94 mm	6
GR.086	64,60	11,94 mm	6
GR.876	64,60	11,94 mm	6
GR.7115	64,60	11,94 mm 14,94 mm	6
GR.140	64,70	12,73 mm 15,94 mm	6
GR.866	64,70	11,94 mm	6
GR.133	64,80	11,94 mm 14,94 mm 15,86 mm 15,94 mm	8

Diameter 65-70 mm



Item	External diameter	Bushing diameter	Number of fins
GR.011	65,00	15,86 mm	7
GR.043	65,00	11,98 mm	7
GR.051	65,00	11,94 mm 11,98 mm	6
GR.080	65,00	11,94 mm	6
GR.084	65,00	15,86 mm	7
GR.101	65,00	15,86 mm 15,94 mm	7
GR.227	65,00	11,94 mm	6
GR.342	65,00	11,94 mm	6
GR.343	65,00	11,94 mm 11,98 mm	6
GR.1154	65,00	11,94 mm	6
GR.9161	65,00	11,93 mm	6
GR.814	65,10	11,94 mm 15,94 mm	8
GR.009	65,50	15,94 mm	7
GR.100	66,00	15,94 mm	7
GR.158	66,00	11,94 mm	6
GR.178	66,00	15,94 mm	7
GR.228	66,00	11,98 mm	7
GR.644	66,00	14,94 mm 15,86 mm	8
GR.091	66,10	15,94 mm	5
GR.421	66,40	14,94 mm 15,94 mm	9

Diameter 65-70 mm




Item	External diameter	Bushing diameter	Number of fins
GR.9018	66,40	12,73 mm	9
GR.425	66,50	15,94 mm	8
GR.867	66,50	11,94 mm	6
GR.185	66,80	14,94mm 15,86 mm 15,94 mm	10
GR.242	67,00	11,94 mm	6
GR.258	67,00	11,94 mm	12
GR.677	67,00	15,86 mm	8
GR.776	67,10	11,94 mm 15,86 mm 15,94 mm	8
GR.851	67,10	15,94 mm	8
GR.9035	67,40	15,86 mm 15,94 mm	6
GR.016	67,50	15,94 mm	12
GR.019	67,50	15,94 mm	12
GR.155	67,50	15,86 mm 15,94 mm	5
GR.588	67,50	15,86 mm	6
GR.587	67,60	11,94 mm 14,94 mm 15,86 mm	6
GR.906	67,70	15,86 mm	8
GR.195	67,80	15,86 mm 15,94 mm	9
GR.196	67,80	15,86 mm	9
GR.013	68,00	15,94 mm	12
GR.023	68,00	14,94 mm 15,86 mm 15,94 mm	8

Diameter
65-70 mm



Item	External diameter	Bushing diameter	Number of fins
GR.058	68,00	15,86 mm	12
GR.152	68,00	15,86 mm	8
GR.501	68,00	11,94 mm 15,94 mm	8
GR.900	68,00	14,94 mm 15,94 mm	12
GR.028	68,10	14,94 mm	8
GR.506	68,10	14,94 mm 15,94 mm	8
GR.057	68,20	14,94 mm 15,94 mm	12
GR.729	68,20	11,94 mm	7
GR.771	68,20	15,94 mm	6
GR.014	68,30	15,86 mm 15,94 mm	12
GR.214	68,50	15,86 mm	8
GR.387	68,50	15,86 mm	8
GR.883	68,60	11,94 mm	7
GR.413	68,70	11,94 mm 15,86 mm 15,94 mm	6
GR.944	69,00	11,94 mm	6
GR.760	69,20	11,94 mm	6
GR.111	69,40	11,94 mm 15,86 mm 15,94 mm	6
GR.522	69,40	11,94 mm 15,94 mm	8
GR.145	69,50	11,94 mm 11,98 mm	8
GR.217	69,50	15,86 mm 15,94 mm	6

Diameter 65-70 mm




Item	External diameter	Bushing diameter	Number of fins
GR.521	69,50	15,94 mm	8
GR.1061	69,50	15,94 mm	6
GR.018	69,60	15,86 mm 15,94 mm	12
GR.238	69,60	14,94 mm 15,94 mm	7
GR.359	69,60	11,94 mm 15,86 mm 15,94 mm	8
GR.802	69,60	11,94 mm 14,94 mm	8
GR.9011	69,60	15,86 mm	6
GR.192	69,70	15,94 mm	6
GR.996	69,70	15,86 mm 15,94 mm	6
GR.9017	69,80	15,86 mm	8

Diameter 70-75 mm



Item	External diameter	Bushing diameter	Number of fins
GR.029	70,00	15,86 mm	7
GR.109	70,00	14,94 mm 15,86 mm 15,94 mm	9
GR.190	70,00	15,86 mm	6
GR.711	70,00	16 mm	7
GR.079	70,20	11,98 mm	6
GR.128	70,20	11,93 mm 11,98 mm 11,99 mm 14,94 mm 15,94 mm	14
GR.579	70,20	14,94 mm 15,94 mm	8
GR.1003	70,20	11,94 mm	6
GR.106	70,30	11,94 mm 11,98 mm	10
GR.270	70,40	14,94 mm 15,94 mm	7
GR.571	70,50	11,94 mm 11,98 mm	6
GR.213	70,60	11,94 mm 15,94 mm	7
GR.094	70,80	12,73 mm	7
GR.141	70,80	12,73 mm 14,94 mm 15,86 mm 15,94 mm	7
GR.142	70,80	15,86 mm 15,94 mm	7
GR.680	70,80	11,94 mm 15,94 mm	7
GR.081	71,00	15,86 mm	8
GR.087	71,00	15,94 mm	7
GR.534	71,00	11,93 mm 11,94 mm 15,94 mm	9

Diameter 70-75 mm



Item	External diameter	Bushing diameter	Number of fins
GR.536	71,00	11,94 mm	9
GR.1016	71,00	11,94 mm 11,98 mm	7
GR.666	71,10	15,94 mm	7
GR.230	71,20	11,94 mm 11,98 mm 12,73 mm	8
GR.585	71,50	11,94 mm	6
GR.741	71,50	11,94 mm	7
GR.095	72,00	11,94 mm	7
GR.468	72,00	11,94 mm	10
GR.121	72,10	15,86 mm 15,94 mm	5
GR.203	72,20	11,94 mm	7
GR.629	72,20	14,94 mm	10
GR.1144	72,20	11,94 mm 11,98 mm	7
GR.277	72,30	14,94 mm 15,86 mm 15,94 mm	9
GR.431	72,30	15,86 mm	7
GR.750	72,50	15,86 mm 15,94 mm	6
GR.9105	72,50	11,94 mm	6
GR.981	72,70	14,94 mm	6
GR.7116	73,10	15,86 mm 15,94 mm	8
GR.010	73,20	15,86 mm	8
GR.191	73,20	15,86 mm 15,94 mm	8

Diameter 70-75 mm




Item	External diameter	Bushing diameter	Number of fins
GR.088	73,60	11,98 mm	6
GR.182	74,00	11,94 mm 11,98 mm	8
GR.276	74,00	14,94 mm 15,94 mm	9
GR.649	74,00	11,94 mm	6
GR.676	74,00	11,98 mm 11,99 mm 14,94 mm 15,86 mm 15,94 mm	10
GR.1013	74,00	11,98 mm 15,86 mm 15,94 mm	6
GR.460	74,30	14,94 mm 15,94 mm	8
GR.082	74,50	11,98 mm	7
GR.449	74,50	15,86 mm	8
GR.852	74,70	15,94 mm	6
GR.9060	74,90	11,94 mm 12,73 mm 15,86 mm 15,94 mm	6

Diameter 75-80 mm



Item	External diameter	Bushing diameter	Number of fins
GR.746	75,00	11,94 mm 15,86 mm 15,94 mm	8
GR.823	75,00	11,94 mm	8
GR.923	75,10	11,94 mm 14,94 mm 15,86 mm 15,94 mm	8
GR.1009	75,20	11,94 mm 15,86 mm	6
GR.420	75,30	15,86 mm 15,94 mm	6
GR.598	75,40	11,94 mm	6
GR.935	75,40	15,94 mm	8
GR.150	75,50	14,94 mm	4
GR.125	75,60	11,99 mm 14,94 mm 15,94 mm	14
GR.887	75,70	11,94 mm 11,98 mm	6
GR.168	75,90	10 mm 11,94 mm	8
GR.630	76,00	11,94 mm	6
GR.980	76,00	15,94 mm	7
GR.770	76,30	15,86 mm 15,94 mm	6
GR.200	76,40	11,98 mm	6
GR.280	76,70	16 mm	8
GR.578	76,70	16 mm	8
GR.012	76,80	11,94 mm 11,98 mm	7
GR.509	77,00	11,94 mm 11,98 mm 15,94 mm	7
GR.282	78,40	14,94 mm 15,94 mm	10

Diameter 75-80 mm




Item	External diameter	Bushing diameter	Number of fins
GR.005	78,50	11,94 mm	6
GR.139	78,50	11,98 mm	6
GR.561	78,50	14,94 mm	10
GR.919	78,60	11,94 mm 14,94 mm	8
GR.920	78,60	11,93 mm 11,94 mm	8
GR.055	78,70	11,94 mm	6
GR.233	78,70	11,94 mm 11,98 mm	8
GR.031	79,00	15,86 mm 15,94 mm	8
GR.097	79,50	11,94 mm 11,98 mm 15,86 mm	8
GR.179	79,50	11,94 mm 11,98 mm	9
GR.194	79,50	11,94 mm 11,98 mm	5
GR.507	79,50	14,94 mm	4
GR.731	79,90	11,94 mm 15,86 mm 15,94 mm	5

Diameter 80-135 mm



Item	External diameter	Bushing diameter	Number of fins
GR.932	80,00	11,94 mm	6
GR.462	80,10	11,93 mm	6
GR.724	80,50	14,94 mm 15,94 mm	6
GR.201	80,60	11,98 mm	7
GR.160	81,60	14,94 mm	12
GR.736	81,60	11,94 mm 11,98 mm 12,73 mm 15,94 mm	6
GR.161	81,80	14,94 mm	12
GR.144	83,60	11,94 mm 15,86 mm 15,94 mm	8
GR.240	84,00	11,94 mm 11,98 mm	7
GR.921	84,20	14,94 mm	10
GR.551	85,20	15,94 mm	5
GR.566	85,50	15,86 mm 15,94 mm	5
GR.166	86,00	11,94 mm 11,98 mm	6
GR.089	87,00	11,94 mm 14,94 mm	6
GR.255	90,70	11,98 mm	8
GR.400	91,00	11,98 mm	9
GR.024	92,80	15,94 mm	8
GR.073	93,00	15,94 mm	8
GR.159	93,30	11,94 mm 12,73 mm	6
GR.252	93,80	11,94 mm 11,98 mm	7

Diameter 80-135 mm



Item	External diameter	Bushing diameter	Number of fins
GR.040	95,00	20 mm	8
GR.719	95,50	15,94 mm	7
GR.805	97,80	15,94 mm	7
GR.317	115,00	14,94 mm	8
GR.147	117,90	15 mm	12
GR.056	118,00	15 mm	7
GR.054	120,00	15 mm	10
GR.151	120,00	15 mm	12
GR.154	120,00	15 mm	10
GR.153	130,00	15 mm	9
GR.231	130,00	15 mm	12
GR.256	130,00	15 mm	9
GR.267	135,00	15 mm	8